:Flavor Seal Bale Wrap

:Performance 5 Bale Wrap

> :Ultra 5 Bale Wrap

:Silopower Bale Wrap

:Tyrite Baler Twine

:SuperTie Baler Twine

:Dutch Harvest Baler Twine

> :Hybrid Net Wrap

:Magic Blue Net Wrap

:Dutch Harvest Net Wrap

> :Plastar Silage Bags

> :BagAll Silage Bags

Bunker Covers: Black / White

:Hay Saver Plus Propionic Acid


:Lastic Tubes

: End Caps

:Bale Bags

:Repair Tape

## Benco Poly Film LLC Established Since 1992



## Two Locations to Serve You Better!!

BENCO POLY FILM LLC 717-656-7046 161 STONE QUARRY RD., LEOLA PA 17540

BENCO POLY FILM LLC 765-561-6754 4362 W. STATE RD 244., MILROY IN 46156

## Flavor-Seal

**A** Superior Quality Silage Film

Manufactured By

Sigma Stretch Film Our Product is Stretch Film, Our Strength is Our People





**A** Superior Quality Silage Film

Our Product is Stretch Film, Our Strength is Our People Manufactured By



## Flavorseal (Imil)

The Flavorseal (I mil) is our standard bale wrap (and is our # I seller) It works well on individual round bale wrapping, and inline wrapping. The 30", I mil has approx. 5000 feet per roll (which is your standard length)



## Performance 5 (Imil)



The Performance 5 is produced with a 5 layer extrusion process, which allows greater flexibility for consistent quality, and performance. If you are wrapping stemmy hay, or in warmer weather, this film will stand out for its high puncture, and tear resistance, compared to the standard films. On this film, the 30", Imil has approx. 5000 feet per roll, so, for a little higher price per roll, you are still able to wrap the same amount of bales with each roll, as the standard I mil Flavorseal.



### Ultra 5 (Imil)

The Ultra 5 is also produced with a 5 layer extrusion process, plus it is made with a new special resin technology, making it one of the highest quality films on the market. **Ultra 5** is the perfect film to wrap individual big square bales. The dry sharp stems are no problem for Ultra 5 toughness, neither are the pulling forces that occur during the high speed wrapping process!! The 30" film also has approx. 5000 feet per roll.


The thicker films below, were more popular, prior to having the 5 layer films available. Since you are getting less footage per roll, on these thicker films, you will not be able to wrap as many bales per roll of film. We do not recommend putting less layers per bale, since the bale will seal better with more layers. (oxygen will not pass through the plastic as soon, as in between the layers)

**Flavorseal** (1.2mil) is the same as our standard Flavorseal, but is a thicker film. With it being 20% thicker, there is approx. 4,100 feet per roll.

Flavorseal (1.5mil) is the same as our standard Flavorseal, but is a thicker film. With it being 50% thicker, there is approx. 3,300 feet per roll.

# Silopower

The Leaders in Bale Wrap Made in Europe



# Silopower

The Leaders in Bale Wrap Made in Europe



## Silopower

The Silopower is a 7-layer, Hi-Performance wrap. When it comes to an Imported wrap, this is a good choice.

High tear and puncture resistant, makes excellent bale sealing. This film has been on the market for years, with excellent results! Available in 20" and 30" width. Color: white (Imil thickness)



## Silopower Extra The Next Generation

The Silopower Extra is also a 7-layer film. It is a lighter, but stronger film with an Extra 10% feet per roll! (Compare the savings) This film can be used on both round and square bale wrapping. It is forecasted that most bale wrap manufacturers will develop a thinner and stronger film in the future. Available in 30" White ( .9 mil thickness)



## Magnum

Magnum is a multilayer Black bale film, designed to be used on dry forages, or for late season high moisture wrapping. Available in 20" and 30" width. Color: Black (Imil thickness)



# Dutch Harvest and Tyrite Sisal Twine

Available in Green or Gold



Round Bale Twines 16,000 treated 16,000 untreated use untreated when wrapping hay, treated sisal will disintegrate the plastic.



Togos []

SISAI

### **Small Square Bale Twines**

9000 use on regular bales 7200 ideal for kicker and thrower balers, or to make heavier bales 10,000 for light duty bales


Binder Twines 6 spools/pack 20,000 heavy duty 26,000 regular



**RECOMENDED FOR** 

NRGANI

FARMERS



#### Page 9

## **Tyrite Baler Twine**

## Tie it Right With Tyrite

20,000 feet all in one spool. Available Colors: Blue or Red

**Round Baler Twine** 



### 20000/110 Single Ball



### 20000/110 Double Ball



## **20,000/110 DB** is the same twine as above, except it has two spools with 10,000 feet per spool, banded together. Available Colors: Blue or Red

20,000/110 SB is used in round balers. This has

**20,000/110 SB Solar Degradable** is designed to start breaking down after it is exposed to sunlight, for a period of time.

### 20000/110 Solar Degradable





**4000/440** Tyrite is a good choice for the mid size big square balers. It is not recommended for the High Density balers. Available Colors: Blue or Red



4000/350

**4000/350** Tyrite is commonly used for lighter bales, and can also be used on the Bale Baron machines. Available Color: Blue

# **Tyrite Baler Twine**

Tie it Right With Tyrite



## **Tyrite Baler Twine**

Tie it Right With Tyrite

9000/138



## Small Square Baler Twine

**9000/138** is a light duty twine that can be used when making light bales. It is not recommended for kicker or thrower balers. Can be

hard on hands when handling bales, because of smaller diameter twine. Available Colors: Blue or Red

9600/170

**9600/170** is a medium duty twine. Can be used as an all purpose twine. This unit has two-4800 ft. spools banded together. Most balers can be

switched from sisal to this twine, without making any adjustments. Available Colors: Blue or Red



### 8500/170



**8500/170** is the same twine as above. The advantage to using this one is, you have 8500 ft. all in one spool! Therefore, you do not need to change spools as often, and you have less knot going through your baler. Available Colors: Blue or Red

**7200/170** is also the same as the two above. There is <u>NO</u> benefit to using this twine in the place of the ones above. This was one of the first plastic twines on the market, but has been replaced by the ones above It

has less feet per spool, and have more knots going through your baler. Available Colors: Blue





### 6000/210



**6000/210** is a very good twine for kicker and thrower balers. Also can be used on the Bale Baron machines. It is also easier on your hands when handling the bales by hand, and is becoming the most popular twine. Available Colors: Blue or Red

**6000/240** is designed for balers that have the ability to make very tight bales. Make sure your baler is capable to handle this heavy twine.. It may need some knotter adjustments.

Available Color: Blue



# **Dutch Harvest Poly Twine**

(made in Turkey)



Page 13

# Super Tie Poly Twine

(Compare it with the Best!!)

SuperTie is one of the best twines on the market!! When it comes to trouble-free baling, IT WORKS!! The SuperTie manufacturer specializes in big square baler twines, and has a lot of options to fit your needs...



## Magic Blue Netwrap

(by Piippo)



Magic Blue netwrap is also a Piippo product. It is a little thicker netwrap than Hybrid, Therefore, it seems to run better in some machines than the Hybrid. An Excellent netwrap!! Blue in color

### Available Sizes 48" wide by 10,000' Long 51" wide by 10,000' Long 64" wide by 7,000' Long 67" wide by 7,000' Long

### Advantages of The Magic Blue Netwrap

\*UV-Stabilized \*Easy Lifter, Carry Handles \*Double End Warning Stripe \*Easy Coverage System



Page 15

# Hybrid Netwrap

(by Piippo)

Longer - Lighter - Stronger



Available Sizes 48" x 13,200' 48" x 15,100' 51" x 12,100' 64" x 9,700' 67" x 9,000'

# Hybrid netwrap has been sold for years here in the US, and has been performing very well!!

### Advantages of The Hybrid Netwrap

\*40% More Feet Per Roll \*Double End Warning Stripe \*Easy Lifter Carry Handles \*Easy Coverage System



## **Dutch Harvest Netwrap**

(made in China)

### Advantages of The Dutch Harvest Netwrap

- UV Stabilized For 12 Months Outdoor Storage
- The Last 450' Of Every Roll Has A Warning Stripe
- Environmentally Friendly
- Guaranteed Minimum Length

The Dutch Harvest netwrap is a product out of China, and has performed well for us in the past. It is a heavier netwrap, so your baler needs to have a good cutting system. It holds the bale together very well.

Available Sizes 48" wide by 9840' Long 51" wide by 9840' Long 64" wide by 7000' Long 67" wide by 7000' Long

# Tama Netwrap

### Netwrap for Round Bales

### TamaNet<sup>™</sup> with TamaTec+<sup>™</sup>

The Next Generation in Bale Wrap Technology

- Reliable and consistent. For a trouble-free baling experience – every time.
- Edge to Edge<sup>™</sup> technology for perfect bale coverage.
- Zebra System™. A clear Left-Right indicator for easy and correct loading of the roll into the baler every time. Plus, at feeding time, user can quickly see which direction to unroll the bale.
- Red End Warning. Indicates to the operator that the end of the roll is approaching. The red stripe marks the last 240 ft.
- Guaranteed Length. Every roll contains at least the guaranteed stated length, not a "plus-or-minus" average.
- · Carry Handles. Easier and safer handling.
- Unique ID Number. Enables tracing of full production details.

### SPECIFICATIONS

64" x 7,000'	:	48" x 9,840'
64" x 9,000'	-	48" x 12,500'
67" x 7,000'	1	51" x 9,840'
67" x 8,500'	-	51" x 11,500'



# **Hybrid Edge Master**

Hybrid Edge Master is the latest member of the Premium net wrap product line.

Improved coverage by up to 10 percent, combined with the highest quality of the Hybrid net wrap products mean dense and cost-efficient bales.





# **Bag All Silage Bags**

The Strongest Most Durable Bag Available

Availa	ble sizes	<u>Approximate</u> Capacity
8x100	9x200	Per Foot Of Bag
8x150	9x250	6.5' 1300 pounds
8x200	9x300	8' 1950 pounds
8x250	10x150	9' 2500 pounds
8x300	10x200	10' 3000 pounds
9x100	10x250	12' 4500 pounds
9x150	10x300	
* 12' bags a	re available	
by specia		

Protecting the quality of your feed comes down to a plastic membrane only a few thousandths of an inch thick. But that thin membrane has to stand up to years of rigorous climate while blocking out UV light and resisting punctures and tears. That's why your high quality feed needs all the advanced plastic technology that can be engineered into the film that covers it.

# **Plastar Silage Bags**

Harvest is Protected By Silobolsa

### Helpful Hints To Better Bagging

\*Place bag on a hard, well drained, level surface \*Place bag on machine so label is centered on the

### side of tunnel

\*With wet forages, do not stretch bag, extra room is needed when feed settles \*Remember, Over stretching the bag, voids the warranty. "Follow the directions" \*Vent bags to reduce gas build-up

_test"	and the second second
Availat	ole sizes
5x200	9x200
White Martin Street, in the	and the second se
6.5x100	9x250
6.5x150	9x300
6.5x200	10x150
8x100	10x200
and the second second second	and and a construction of the second s
8x150	10x250
8x200	10x300
8x250	12x200
and a stand of	The second s
8x300	12x250
9x100	12x300
	and the second states
9x150	12x500

SILOLOLSA

LASTAR

#### Page 19

•

## **Bunker Covers**

Available sizes 24x100 50x100 24x150 50x150 32x100 50x200 32x150 50x1000 60x100 40x100 60x150 40x150 40x200 60x200 40x1000 60x1000


We normally stock all sizes of 5 mil black and white covers. We make 6 mil plastic available during our early order time, however, during the year we only stock the 5 mil covers.

### **Advantages**

\*Highly Reflective White Side & 100% Black Side Results In Quality Silage \*Now More Resistant Than Ever To Punctures And Tears \*UV Stabilized Film Provides One Year Of Life \*Also Available in Master Rolls



## **Performance Underlayer**



## **Advantages of Performance Underlayer**

Performance Underlayer Film is a 1.6mil clear plastic, that is put between the silage and the polyethylene silage sheet. The film acts as an oxygen barrier and follows The contour of the silage, sealing it much like cling film.

## **Specifications**

Clear 1.6 Mil Thick – Max Width – 60' / Max Length 2,000' Roll Widths 40 / 50 / 60'





# 6.6 Mil Hytidouble

5 mil sheeting <u>plus</u> 1.6 mil underlayer

## Explore the clever combination of cover and vacuum film on one roll

Transparent lower layer

No light transmission upper layer

Unique folding pattern – easy to unfold

## Benefits



With Hytidouble® you have both the perfect vacuum and top film layers, conveniently folded together on one roll




Twice as fast as covering silage using two separate films




By laying the two layers in one movement, you no longer risk punching holes in the under layer

# 2 in 1 Silage Film

Easy to unfold – Saves time and resources





## What are the advantages of Hay Saver Plus<sup>™</sup>?

- Bale hay at moisture levels up to 30% to reduce leaf shatter.
- Prevents mold and dust (especially on large square bales.)
- Highest percentage of active ingredients. 68% Propionic Acid.
- Contains citric acid to maintain fresh hay smell.
- Contains surfacant to more evenly penetrate hay.
- Buffered product (5.8–6.0pH) is easy on equipment and user friendly.

#### Tips for using Hay Saver Plus on hay:

- 1. Avoid baling if the windrow moisture level exceeds 30%.
- Always check the hay moisture level before baling high moisture hay.
- For rained-on hay or poorly ventilated storage, increase the application rate by 4–5 lb/ton.
- Make sure the spray nozzle openings and placement give good coverage.
- Make sure the storage area for the baled hay is well-ventilated.
- 6. Do not store untreated dry hay on top of treated wet hay.

Hay Saver Plus packaged in: 480 lb. drums 2400 lb mini bulks

#### **Hay Saver Plus**

EPA registered Hay Saver Plus is a buffered propionic acid preservative for processing high moisture hay, corn, grain, silage, haylage and feed blends. Hay Saver Plus is a solution of propionic acid, ammonium propionate, citric acid, ammonium citrate, surfactants, and colorant. The minimum propionic acid content is 68%. Hay Saver Plus also contains 2.50% citric acid. The total concentration of working ingredients is 77.5% — a maximum of only 22.5% water. The pH is controlled at 5.8 to 6.0 with a specific gravity of 1.065 – 1.075 (8.9#/gl).

#### **Application Rate for Baled Hay**

Large Square Bales		
Moisture Level	Stem Moisture	Dew Moisture
16-22%	6 lb/ton	3 lb/ton
22-26%	10 lb/ton	8 lb/ton
26-30%	Do not bale	16 lb/ton
Over 30%	Not recommended	Not recommended

Small Square/Large Round Bales		
Moisture Level	Stem Moisture	Dew Moisture
16-22%	4 lb/ton	2 lb/ton
22-26%	8 lb/ton	6 lb/ton
26-30%	16 lb/ton	12 lb/ton
Over 30%	Not recommended	Not recommended

#### Application Rate for Silage, Haylage & Feed Blends

Crop	Moisture	Rate
Corn Silage	60 - 70%	2 – 3 lb/ton
Small Grain Silage	60 - 70%	2.5 - 3.5 lb/ton
Haylages	50 - 70%	2.5 - 3.5 lb/ton
Feed Blends (Short-term Storage)		2 – 4 lb/ton (increase for greater stability)

#### **Application Rate for Corn**

Crop	Moisture	Rate
Shelled Corn	20 – 24%	4 lb/ton
	24 - 28%	5 lb/ton
	28 - 34%	6 lb/ton

## **Hay Protect**

**Potassium Sorbate** 

**Hay Protect** is a liquid treatment to preserve and protect the quality of grains and forages. **Hay Protect** is a solution of potassium sorbate, sodium benzoate, water, surfactants, and dye. **Hay Protect** is a non-acid based product which is non-corrosive on equipment, environmentally friendly, highly effective and easy to use forage and grain preservative solution. **Hay Protect** is made with food grade ingredients and offers excellent palatability on treated crops.

> Non-Corrosive on Equipment Environmentally Friendly Food Grade Ingredients Easy to Use

## **Fortress Covers**

### Frotecting your plastic from birds and wildlife



The Fortress Cover is a protective cover placed on top of the silage sheeting, keeping the sheeting in constant contact with the silage. The Fortress Cover eliminates the need to completely cover the pile with tires, saving time and labor. The Fortress Cover gives protection from hail,

birds, deer etc. Fortress Covers may also be used on silage bags or rows of wrapped hay with many different sizes available.

- I2 Year warranty on UV degradation.
- Endless list of uses, Silage bag cover, Windbreak, Sunscreen and much more.
- Stainless Steel Grommets allows easy securing of cover.
- Double stitched hem around the perimeter.
- Fortress Covers fold easily, making storage convenient.

\* 13' x52'

\* 26' x42'

26'x45' \* 26'x55'

26'x59'

**Available Sizes** 

\* Stock Sizes

\* 26' x65'

26'x72' 26'x82'

26'x105'

## **Fortress Gravel Bags**



- Easy to carry double handles
- Zip ties included
- 36" in length when filled
- 12 Year warranty on UV degradation.

The Fortress Gravel Bags conform to the pile and along bunker walls, creating a tight and constant seal. The gravel bags also work great along the face of the silage pile to keep air from migrating under the plastic.

#### Benco Poly Film LLC 717-656-7046

## **End-Caps**

### **Standard Sizes**

color: white

End Caps
88"x72"x4 mil
93"x72"x4 mil
I I0"x72"x4 mil

**Bale size** 4' diameter 4.5' to 5' 5.5' to 6'

## **End Plugs**

End Plugs are made of Foam-board, and wrapped with bale-wrap to be used to seal the ends of inline wrapped bales.

\*Light-weight & Re-usable



## **Bale Sleeves**

Protect your Dry round bales color: black Standard sizes Bale size 86"x48"x4 mil 4' diameter 4' width 86"x60"x4 mil 4' diameter 5' width 96"x60"x4 mil 5' diameter 5' width 113"x72"x4 mil 6' diameter 6' width

## **Bale Bags**

For individual round bales color: white Bale size Standard sizes 88"x120"x4 mil 4' diameter 93"x120"x4 mil 4.5' to 5' 110"x132"x4 mil 5.5 ' to6'

20 bags/roll : 20 rolls/pallet



\*Available in 3" and 6" \*3" comes 16 rolls/case \*6" comes 8 rolls/case \*Probably the best tape on the market

## **Lastic Tubes**

AT.Films

### **Available Sizes**

4 mil Thickness 4' Diameter 73''x 150' 4' Diameter 73''x 220' 4.5' Diameter 82''x 150' 4.5' Diameter 82''x 220' 5' Diameter 87''x 150' 5' Diameter 87''x 220'

\*An efficient way to ensile and protect grass, cereal and legume forages.
\*Exclusive "stretch tube with a memory" design that automatically shrinks down tight around the bale, creating an ideal environment for fermentation.
\*Superior to stretch wrap as it applies one complete, single layer of film to the bale.
\*Excellent for storage of high-moisture haylage.

#### Page 29

70085

Benco Poly Film LLC 717-656-7046

## **Product Guide**

	Dutch Harvest Poly Twine
Bale Wrap (Sigma)	•
	20000/110 DB 75/pallet
	20000/110 SB 80/pallet
	9000/130 DB 40/pallet
	9600/170 DB 40/pallet
20" Flavorseal (I mil) 24/pallet	6500/210 SB 48/pallet
30" Performance 5 white 24/pallet	4000/440 SB 48/pallet
30" Performance 5 green 24/pallet	4000/550 SB 48/pallet
30" Ultra 5 white 24/pallet	
30" Ultra 5 green 24/pallet	
	Sisal Twine
	9000 50/pallet
	7200 50/pallet
Bale Wrap (European)	
30" Silopower white 24/pallet	I
20" Silopower white 32pallet	16000 untreated 50/pallet
30" Silopower Xtra white 24/pallet	Binder twine 40/pallet
30" Magnum black 24/pallet	A SALE AND A
20" Magnum black 32/pallet	
zo riagium black 52/pallet	Hybrid Netwrap
	48"x13200' 12 + 16/pallet
	48"x15100' 12 + 16/pallet
	51"x12100' 12 + 16/pallet
Tyrite Poly Twine (blue/red)	64"x9700' 12 + 16/pallet
20000/110 DB 75/pallet	67"x9000' I6/pallet
20000/110 SB 80/pallet	Hybrid Edgemaster Netwrap
9000/138 DB 75/pallet	48"x15100' 12 + 16/pallet
9600/170 DB 60/pallet	
8500/170 SB 60/pallet	Magic Blue Netwrap
6000/210 SB 60/pallet	48''x10000' 12 + 16/pallet
6000/240 SB 48pallet	
4000/350 SB 48/pallet	
4000/440 SB 48/pallet	64"x7000' I6/pallet
	67"x7000' 16/pallet
	and the second
Super Tie Poly Twine (green)	Dutch Harvest Netwrap
4000/350 SB 48/pallet	48"x9840' I 6/pallet
4000/440 SB 48/pallet	51"x9840' 16/pallet
4000/500 SB 48/pallet	64"x7000'   6/pallet
4000/550 SB 48/pallet	67"x7000' I6/pallet
3800/600 SB 48/pallet	
5000/450 SB 32+48/pallet	Tama Netwrap
The TANK CALL MINE CONTRACTOR AND THE CONTRACTOR OF THE CONTRACTOR	48"x12500' 16/pallet
4700/500 SB 32+48/pallet	51"x11500' 16/pallet
4500/550 SB 32+48/pallet	64"x9000' I6/pallet
4200/600 SB 32+48/pallet	67"x8500' I6/pallet
All and the second second	and the second
and the second of the second	

## **Product Guide**

\_

### **Bunker Covers**

	20x100	18/pallet	
	24x100	8/pallet	
	24x150	I 4/pallet	
	32x100	I 8/pallet	
	32x150	l 4/pallet	
	40x100	18/pallet	
	40x150	14/pallet	
	40x200	8/pallet	
	40x1000	l/pallet	
	50x100	18/pallet	
	50x150	14/pallet	
	50x200	8/pallet	
	50x1000	l/pallet	
	60x100	18/pallet	
	60x150	14/pallet	
	60x200	8/pallet	New York Contraction of the
	60x1000	I/pallet	HERE END
	Barrier F	COLUMN AND	A THE AND
	40x300	18/pallet	
	50x300	18/pallet	
	60x300	18/pallet	The second party in the second second
	40x1000	I/pallet	
		and the second second second second second	
	50×1000	I/pallet	
	50×1000	l/pallet	
	60x1000	I/pallet	
	60×1000 Plastar S	l/pallet	
	60×1000 Plastar S 5×200	I/pallet <b>Silage Bags</b> I 6/pallet	
CARDON CONTRACTOR OF CONTRACTO	60×1000 Plastar S 5×200 6.5×100	I/pallet ilage Bags I6/pallet 20/pallet	
A NAME OF COLORA	60×1000 Plastar S 5×200 6.5×100 6.5×150	I/pallet <b>Silage Bags</b> I6/pallet 20/pallet I6/pallet	
	60×1000 <b>Plastar S</b> 5×200 6.5×100 6.5×150 6.5×200	I/pallet <b>Silage Bags</b> I 6/pallet 20/pallet I 6/pallet I 6/pallet	
	60×1000 Plastar S 5×200 6.5×100 6.5×150 6.5×200 8×100	I/pallet <b>ilage Bags</b> I 6/pallet 20/pallet I 6/pallet I 6/pallet 20/pallet	
	60×1000 Plastar S 5×200 6.5×100 6.5×150 6.5×200 8×100 8×150	I/pallet <b>ilage Bags</b> 16/pallet 20/pallet 16/pallet 16/pallet 20/pallet 16/pallet 16/pallet	
	60×1000 Plastar S 5×200 6.5×100 6.5×150 6.5×200 8×100 8×150 8×200	I/pallet ilage Bags 16/pallet 20/pallet 16/pallet 16/pallet 20/pallet 16/pallet 16/pallet	
	60×1000 Plastar S 5×200 6.5×100 6.5×200 8×100 8×150 8×200 8×250	I/pallet ilage Bags I6/pallet 20/pallet I6/pallet I6/pallet 20/pallet I6/pallet I0/pallet 8/pallet	
	60×1000 Plastar S 5×200 6.5×100 6.5×200 8×100 8×150 8×200 8×250 8×300	I/pallet <b>Silage Bags</b> 16/pallet 20/pallet 16/pallet 16/pallet 20/pallet 16/pallet 16/pallet 8/pallet 8/pallet	
	60×1000 Plastar S 5×200 6.5×100 6.5×200 8×100 8×100 8×200 8×200 8×200 8×200 8×200 8×200 8×200 8×200 8×100	I/pallet ilage Bags 16/pallet 20/pallet 16/pallet 16/pallet 20/pallet 16/pallet 16/pallet 8/pallet 8/pallet 16/pallet	
	60×1000 Plastar S 5×200 6.5×100 6.5×200 8×100 8×100 8×200 8×200 8×250 8×300 9×100 9×150	I/pallet ilage Bags 16/pallet 20/pallet 16/pallet 16/pallet 20/pallet 16/pallet 10/pallet 8/pallet 8/pallet 16/pallet 16/pallet	
	60×1000 Plastar S 5×200 6.5×100 6.5×200 8×100 8×150 8×200 8×250 8×300 9×100 9×150 9×200	I/pallet ilage Bags 16/pallet 20/pallet 16/pallet 20/pallet 20/pallet 16/pallet 8/pallet 8/pallet 16/pallet 16/pallet 16/pallet 8/pallet	
	60×1000 Plastar S 5×200 6.5×100 6.5×200 8×100 8×100 8×200 8×200 8×250 8×300 9×100 9×150 9×200 9×250	I/pallet ilage Bags 16/pallet 20/pallet 16/pallet 16/pallet 20/pallet 16/pallet 16/pallet 8/pallet 8/pallet 10/pallet 8/pallet 8/pallet 8/pallet	
	60×1000 Plastar S 5×200 6.5×100 6.5×100 6.5×200 8×100 8×100 8×200 8×200 8×200 8×200 9×100 9×150 9×200 9×200 9×250 9×300	I/pallet ilage Bags I 6/pallet 20/pallet I 6/pallet I 6/pallet 20/pallet I 6/pallet 8/pallet 8/pallet I 6/pallet 8/pallet 8/pallet 8/pallet 8/pallet 8/pallet 8/pallet 8/pallet	
	60×1000 Plastar S 5×200 6.5×100 6.5×100 8×100 8×100 8×200 8×200 8×200 8×200 9×100 9×150 9×200 9×250 9×300 10×150	I/pallet ilage Bags 16/pallet 20/pallet 16/pallet 16/pallet 20/pallet 16/pallet 8/pallet 8/pallet 16/pallet 8/pallet 8/pallet 8/pallet 8/pallet 10/pallet 10/pallet	
	60×1000 Plastar S 5×200 6.5×100 6.5×100 6.5×200 8×100 8×100 8×200 8×200 8×200 8×200 9×100 9×150 9×200 9×200 9×200 9×300 10×150 10×200	I/pallet ilage Bags I6/pallet 20/pallet I6/pallet I6/pallet 20/pallet I6/pallet 8/pallet 8/pallet 8/pallet 8/pallet 8/pallet 8/pallet 8/pallet 8/pallet 8/pallet 8/pallet 8/pallet 8/pallet 8/pallet 8/pallet	
	60×1000 Plastar S 5×200 6.5×100 6.5×100 6.5×200 8×100 8×200 8×200 8×200 8×200 9×100 9×150 9×200 9×200 9×250 9×200 10×150 10×200 10×250	I/pallet ilage Bags I6/pallet 20/pallet I6/pallet I6/pallet 20/pallet I6/pallet 8/pallet 8/pallet 8/pallet 8/pallet 8/pallet 8/pallet 8/pallet 8/pallet 8/pallet 8/pallet 8/pallet 6/pallet 6/pallet	
	60×1000 Plastar S 5×200 6.5×100 6.5×100 6.5×200 8×100 8×100 8×200 8×200 8×250 8×300 9×100 9×150 9×200 9×250 9×200 10×150 10×200 10×250 10×300	I/pallet ilage Bags I 6/pallet 20/pallet I 6/pallet I 6/pallet 20/pallet I 6/pallet 8/pallet 8/pallet 8/pallet 8/pallet 8/pallet 8/pallet 8/pallet 8/pallet 8/pallet 8/pallet 8/pallet 6/pallet 6/pallet 6/pallet	
	60×1000 Plastar S 5×200 6.5×100 6.5×100 6.5×200 8×100 8×150 8×200 8×250 8×300 9×100 9×150 9×200 9×250 9×200 10×150 10×250 10×250 10×250 10×250	I/pallet ilage Bags 16/pallet 20/pallet 16/pallet 16/pallet 20/pallet 16/pallet 8/pallet 8/pallet 8/pallet 8/pallet 8/pallet 8/pallet 8/pallet 8/pallet 6/pallet 6/pallet 6/pallet 6/pallet	
	60×1000 Plastar S 5×200 6.5×100 6.5×100 6.5×200 8×100 8×100 8×200 8×200 8×200 8×200 9×100 9×150 9×200 9×200 9×250 9×300 10×150 10×200 10×250 10×300 12×200 12×250	I/pallet ilage Bags I6/pallet 20/pallet I6/pallet I6/pallet 20/pallet I6/pallet I0/pallet 8/pallet 8/pallet 8/pallet 8/pallet 8/pallet 8/pallet 8/pallet 8/pallet 6/pallet 6/pallet 6/pallet 4/pallet	
	60×1000 Plastar S 5×200 6.5×100 6.5×100 6.5×200 8×100 8×150 8×200 8×250 8×300 9×100 9×150 9×200 9×250 9×200 10×150 10×250 10×250 10×250 10×250	I/pallet ilage Bags 16/pallet 20/pallet 16/pallet 16/pallet 20/pallet 16/pallet 8/pallet 8/pallet 8/pallet 8/pallet 8/pallet 8/pallet 8/pallet 8/pallet 6/pallet 6/pallet 6/pallet 6/pallet	

#### **BagAll Silage Bags**

8x100	12/pallet	
8x150	l 2/pallet	
8x200	10/pallet	
8x250	8/pallet	
8x300	6/pallet	
9x150	10/pallet	
9x200	8/pallet	
9x250	8/pallet	
9x300	6/pallet	
10x150	10/pallet	
10x200	8/pallet	
10x250	6/pallet	
10x300	6/pallet	
	-	

#### Lastic Tubes

 4x150
 20/pallet

 4x220
 15/pallet

 4.5x150
 20/pallet

 4.5x220
 25/pallet

 5x150
 15/pallet

 5x220
 25/pallet

 5x220
 25/pallet

 Hay Savor Plus

### 480 lb. barrel 2400 lb. Tote Hay Protect

480 lb. barrel 2400 lb. Tote

Endcaps 93x72 25/pallet 110x72 25/pallet **Bale Bags** 88x120 20/pallet 93x120 20/pallet 110x132 20/pallet **Inline Endplugs** 4' Round 16/pallet Miller 16/pallet Esch 16/pallet Stuffer 16/pallet

Pallet Jacks Available Call for details.

FZ-Pul

